




TECHVOS INDIA SOLUTION WITH SYSTEM



✉ techvosindia@gmail.com
📍 M-16, Site-5, Greater Noida, U.P
🌐 www.techvos-india.com



Every product is developed with attention to global quality standards, ensuring safety, operational ease, and low maintenance costs. Backed by a dedicated team and modern production practices, Techvos India offers complete solutions—covering design, installation, service, and spare-parts support for clients across India.

About Us

Techvos India is an ISO 9001:2008 certified manufacturer specializing in advanced hydraulic lifts and material-handling solutions. Since 2011, the company has focused on delivering engineered systems designed for performance, safety, and long-term reliability. With a strong commitment to precision manufacturing and continuous improvement, Techvos India has built a reputation for providing robust solutions that support loading, unloading, transportation, and vertical movement across diverse industrial environments.

Founded by Mr. Somesh Kaushik, a technocrat with deep industry expertise, Techvos India has grown through innovation, disciplined engineering, and a customer-centric approach. The company operates with a clear purpose: to provide dependable lifting systems supported by responsive service, transparent processes, and strong technical capability.



Core Value

Techvos India operates on a foundation of strong core values that guide every aspect of our work. We believe in integrity, ensuring transparency, honesty, and responsibility in our decisions and interactions. Innovation drives our growth as we continually adopt modern technologies and smarter engineering practices to deliver efficient, future-ready lifting solutions.



Vision / Mission / Core Values

Vision

To be a leading provider of safe, reliable, and technology-driven hydraulic lifting solutions that enhance productivity and operational efficiency across industries.

Mission


- Deliver precision-engineered hydraulic lifts that meet global quality and safety standards.
- Strengthen customer trust through responsive support, transparent processes, and consistent performance.
- Continuously improve our engineering, manufacturing, and service capabilities through innovation and skill development.
- Build long-term partnerships by offering solutions tailored to diverse industrial needs.



Why Choose Us

We use tested components, maintain strict quality checks, and design every system with serviceability in mind, which keeps maintenance costs low and performance consistent. Our team doesn't disappear after installation; we provide responsive support, clear communication, and transparent processes so clients always know what to expect.

Techvos India operates on a foundation of strong core values that guide every aspect of our work. We believe in integrity, ensuring transparency, honesty, and responsibility in our decisions and interactions. Innovation drives our growth as we continually adopt modern technologies and smarter engineering practices to deliver efficient, future-ready lifting solutions



PRODUCT INDEX



06

Scissor Lift

12

Goods Lift

15

Dock - leveler

20

Aerial Work Platform (AWP)

23

Drum Handling

26

Pallet - Truck

29

Stacker

32

Tail Lift


34

Wheel Chair Lift

Scissor Lift



Stationary Scissor Lift



Car Scissor Lift



Zero Height Scissor Lift



Mobile Scissor Lift



Verticle Scissor Lift



Moveable Scissor Lift

Mobile Scissor Lift



Our **Mobile Scissor Lifts** are designed for efficient, safe, and reliable elevation in industrial, maintenance, and warehouse applications. With load capacities ranging from 300 to 1000 kg and lifting heights up to 16 meters, these lifts provide superior stability and precision. The platforms are powered by a 2.2 kW motor operating at 220V, ensuring smooth and consistent lifting performance. Built with robust hydraulic systems and easy mobility, they deliver maximum reach and durability even in demanding environments. Ideal for indoor and outdoor operations, Techvos India's Mobile Scissor Lifts combine advanced engineering with operator safety and productivity.

A DEDICATED TEAM OF TRAINED EXPERTS DELIVERS THE HIGHEST STANDARDS OF SERVICE & SPARES SUPPORT DURING IT'S LIFE CYCLE



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Mobile Scissor Lift

Model	Load Capacity (Kg)	Rated Height (mm)	Low Height (mm)	Platform Size (mm)	Elevating Time (s)	Motor Power(kw)	Voltage (V)	Total Weight (Kg)
TIMS 3-6	300	6,000	1,127	1830*1000	50	2	220v	940
TIMS 5-6	500	6,000	1,290	1830*1000	50	2	220v	1,200
TIMS 10-6	1,000	6,000	1,400	1830*1000	50	2	220v	1,400
TIMS 3-9	300	9,000	1,343	1800*1000	70	2	220v	1,100
TIMS 5-9	500	9,000	1,558	1830*1000	70	2	220v	1,340
TIMS 10-9	500	9,000	1,752	2150*1140	75	2	220v	1,700
TIMS 5-11	500	11,000	1,560	2150*1140	80	2	220v	1,660
TIMS 3-12	500	12,800	1,704	2150*1140	85	2	220v	1,770
TIMS 5-12	500	12,000	1,619	2500*1260	90	2	220v	1,810
TIMS 3-14	500	14,000	1,940	2500*1260	120	2	220v	2,280
TIMS 5-14	500	5,000	1,100	1830*1000	130	2	220v	2,850
TIMS 3-16	500	7,000	1,290	2150*1140	180	2	220v	3,850



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company


E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Hydraulic Car Scissor Lift



Application	Salient Features
Car Storage	Easy to install
Transportation	Highly durable
Multi Level Parking System	Adjustable in height
Car parking (Malls, Complex, Etc.)	Optional remote control
Loading & Unloading of automobiles	Capacity 1000 – 6000 Kg.
Shipping Car from one floor to another	Available lifting height 200 to 11000 mm

A **Hydraulic Car Lift** is a highly durable and versatile solution for car storage, parking, and transportation across multiple levels. Easy to install and adjustable in height, it is widely used in malls, complexes, and multi-level parking systems for efficient vehicle movement. With a lifting capacity ranging from 1,000 to 6,000 kg and available lifting heights from 200 mm to 11,000 mm, it ensures safe loading, unloading, and shifting of automobiles between floors. Optional features like remote control operation make it even more convenient for modern car parking and shipping needs.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Stationary Hydraulic Scissor Lift



Lifting Capacity	Lifting Height	Platform Size
100 Kg to 20,000 Kg	1000mm to 9000mm	1x1m to 6x4m

The **Stationary Hydraulic lift table** is characterized by large carrying performance. It can replace an elevator to lift goods up to a certain height. Capacity from 100 Kg to 1000 Kg. Lifting Height from 1000mm to 9000mm. Platform size from 1x1m to 6x4m.

Stationary hydraulic lift table is a kind of hydraulic elevator specially designed to lift cargo in storerooms, factories, and warehouses. It is designed with a guide mechanism to ensure stable lifting.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Hydraulic Scissor Table



Model	TIST 300	TIST 350	TIST 500	TIST 500
Load Capacity (Kg.)	300	350	500	500
Max. Lifting Height (mm)	900	1300	900	1000
Min. Lowest Height (mm)	300	350	300	300
Self Weight (Kg.)	80	105	83	83
Dimension of table (mm)	815*500*50	900*510*50	900*510*50	1000*510*50
Overall Dimension (mm)	1130*515*320	1250*510*960	1130*500*970	1300*510*1000

A **Hydraulic Scissor Lift Table** is a versatile material-handling solution designed to lift, position, and transport heavy loads with ease and safety. Equipped with a strong hydraulic mechanism and a durable scissor-lift structure, it allows operators to raise goods to the desired working height, reducing strain and improving efficiency.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Goods Lift



Single Mast (Goods Lift)



Double Mast (Goods Lift) With Collapsable Door



Double Mast (Goods Lift)
With Cabin



Double Mast (Goods Lift)
With Wiremesh Structure

Hydraulic Goods Lift (Single - Mast)



Load Capacity	Lift Height
100Kg to 5000Kg	1000mm to 12000mm

Hydraulic Lift are Mainly used for transfer goods between the floors. Stable lifting, easy installation and maintenance, economical and practical alternative for low-floor elevator. Configuration available with single mast and double mast and having multi-floor control.

Lift can be customized as per the customer requirement.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Hydraulic Goods Lift (Double - Mast)



Load Capacity	Lift Height
100Kg to 5000Kg	1000mm to 12000mm

Hydraulic Lift are Mainly used for transfer goods between the floors. Stable lifting, easy installation and maintenance, economical and practical alternative for low-floor elevator.

Options Available :-

- * Railings, Collapsible Gates, Imperforated Gates, Sliding Gates.
- * Wire Mesh Cage on Platform, Cabin Instead of Platform.
- * Mechanical & Electrical Interlocking



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Dock Leveler



Pit Mounted Dock Leveler



Moveable Dock Leveler



Edge of Dock Leveler



Floor Mounted Dock Leveler

Stationary Hydraulic Dock Leveler



Model	Dock Length	Deck Width	Service range Above & Below
TI-1818	2000 mm	1830 mm	300 mm
TI-2518	2440 mm	1830 mm	300 mm
TI-2520	2500 mm	2000 mm	300 mm
TI-3020	3000 mm	2000 mm	300 mm
TI-3021	3000 mm	2150 mm	300 mm

An Electro **hydraulic dock leveler** is described as a bridge for connecting a vehicle to a building frequently. The important characteristics that this tool needs are undervalued, in order to guarantee an efficient working environment.

The series is completely driven by hydraulic with convenient operation and reliable running. The lip and platform are connected by a complete macro axis, which are of high strength and running. The support bars are designed for safety during maintenance



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company


E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kaska, Greater Noida(U.P)

Mechanical Edge-of-Dock Leveler



Edge-of-Dock Leveler

Offering a range of lengths, widths, and dynamic capacities, the **Edge-of-Dock Leveler** combines rugged durability with a competitive price. Edge-of-Dock Levelers provide an operating range of 5" above and 5" below dock, with a minimum lip projection of 12 3/4" and an overall span of 27 3/4". Broad centerplate and lip are constructed of 55,000 lb. minimum yield steel tread plate. Grease fittings on continuous lip hinge are standard with each unit



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Mechanical Edge-of-Dock Leveler

STANDARD FEATURES

- Centerplate and lip are constructed of 55,000 lb. Minimum Yield Steel Tread Plate.
- Formed, plate steel Bump Blocks and steel faced molded cord Rubber Bumpers protect dock face and Leveler from truck damage.
- Continuous Hinge Design with Grease Fittings included as standard with each unit.
- Torsion Spring Design allows simple, precise adjustment.
- Steel Rivets located at either end of the centerplate hinge provide easy, forklift installation.
- Leveler raises and extends smoothly onto truck bed with use of convenient Bar Handle..
- Stronger Rib reinforcement underneath the centerplate.
- Flat Models available for pallet jack operation.

SPECIFICATION

Mechanical Edge-of-Dock Leveler (inch)

Model		EOD20-BL66 EOD25-BL66 EOD30-BL66	EOD20-BL72 EOD25-BL72 EOD30-BL72	EOD20-BL78 EOD25-BL78 EOD30-BL78	EOD20-BL84 EOD25-BL84 EOD30-BL84
Capacity		20000/25000/ 30000lbs	20000/25000/ 30000lbs	20000/25000/ 30000lbs	20000/25000/ 30000lbs
Lip length	A	15"	15"	15"	15"
Span	B	27 3/4"	27 3/4"	27 3/4"	27 3/4"
Deck width	C	66"	72"	78"	84"
Overall width	D	96"	102"	108"	114"
Travel	UP	5"	5"	5"	5"
	DOWN	5"	5"	5"	5"



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Movable Dock Ramp



Model	Capacity (Kg.)	Platform Size (mm)									
		A	B	C	D	E	F	G	H	I	J
TIMD 6-0.4	6,000	6,000	3,000	1000	300	10,300	1800	2100	1200	1600	400
TIMD 8-0.4	8,000	8,000	3,000	1000	300	10,300	1800	2100	1200	1600	400
TIMD 10-0.4	10,000	10,000	3,000	1000	300	10,300	1800	2100	1200	1600	400

Techvos India is a big name which deals in the manufacturing and supplying of premium class **Movable Type Dock Leveler** which is designed for the transferring of materials within the inventories with the help of small material handling trolleys. It is made up of top grade mild steel which is also provided with a paint coating that makes it capable to withstand larger loads and gives protection against surface damages due to rust and corrosion. This highly durable Movable Type Dock Leveler is capable to carry heavy loads up to 1000 kilograms.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Aerial Work Platform



Single Mast (Aerial-Work Platform)



Double Mast (Aerial-Work Platform)

Aerial Work Platform (Single Mast)

IDEALLY SUITED FOR ATTENDING THE MAINTENANCE OF LIGHTING CLEANING,REPAIRING etc.
OUTSIDE AND INSIDE OF THE BUILDINGS



Model	TIWP 6-150	TIWP 8-125	TIWP 9-125	TIWP 10-125
Max. Platform Height	6	8	9	10
Max. Working Height	8	10	11	12
Capacity (Kg)	150	125	125	125
Platform size (m)	650*600	650*600	650*600	650*600
Power Supply (V/HZ)	AC220	AC220	AC220	AC220
Motor Power (KW)	1.1	1.1	1.1	1.1
Self Weight (Kg)	300	350	400	450
Overall Dimension (m)	1330*800*1950	1330*800*2050	1330*800*2150	1330*800*2150



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Aerial Work Platform (Double Mast)

IDEALLY SUITED FOR ATTENDING THE MAINTENANCE OF LIGHTING CLEANING,REPAIRING etc.
OUTSIDE AND INSIDE OF THE BUILDINGS



Model	TIWP 8-200	TIWP 10-200	TIWP 12-200	TIWP 14-200
Max. Platform Height	8	10	12	14
Max. Working Height	10	12	14	16
Capacity (Kg)	200	200	200	200
Platform size (m)	1115 * 540	1315*540	1315*540	1450*600
Power Supply (V/HZ)	AC220	AC220	AC220	AC200
Motor Power (KW)	1.1	1.1	1.1	1.1
Self Weight (Kg)	560	610	670	870
Overall Dimension (m)	1380*950*1980	1580*950*1980	1580*950*2250	1860*890*2450



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)


Drum - Handling



Hydraulic Drum Lifter (Cum-Tilter)



Hydraulic Drum Lifter



Drum Carrier

Hydraulic Drum Lifter



Model No.	Capacity	Lifting Height
TIHDL (N)	250 kgs.	280 mm

The **Hydraulic Drum Lifter TIHDL (N)** is designed for efficient and safe handling of heavy drums in industrial environments. Built to deliver smooth and controlled lifting, this model offers a lifting capacity of 250 kilograms and a maximum lifting height of 280 millimeters, making it ideal for operations that require frequent drum loading, stacking, or relocation.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Hydraulic Drum Lifter



Model No.	Capacity	Lifting Height
TIHDL (T)	350 Kgs.	1400 mm

The **Hydraulic Drum Lifter Cum Tilter Cum Shifter** (Model TIHDL-T) is an efficient and ergonomic material-handling solution designed for safe lifting, tilting, and shifting of drums in industrial environments. With a lifting capacity of 350 kgs, this model ensures smooth handling of standard metal and plastic drums with minimal manual effort. Its sturdy hydraulic system enables precise control, allowing the operator to lift drums up to a maximum height of 1400 mm with ease and stability.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Pallet Truck




Standard Hydraulic Pallet Truck



Hydraulic Pallet Truck (High-Lift)

Standard Hydraulic Pallet Truck



A **Hydraulic Pallet Truck** is a versatile and efficient material-handling solution designed to lift and transport heavy palletized loads with ease. Built with a sturdy steel frame and a reliable hydraulic pump, it enables smooth lifting through a simple hand-operated lever, making it an essential tool in warehouses, factories, retail stores, and logistics centers.

Model No.	Capacity	Fork Length	Fork Width	Lifting Height
TIPT 20A	2000 Kgs.	1150 / 1200mm	550 / 685mm	85 – 200mm
TIPT 25A	2500 Kgs.	1150 / 1220mm	550 / 685mm	85 – 200mm
TIPT 30A	3000 Kgs.	1150 / 1220mm	550 / 685mm	85 – 200mm
TIPT 50A	5000 Kgs.	1150 / 1220mm	550 / 685mm	85 – 200mm



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Pallet Truck – High Lift



A **High Lift Pallet Truck** is a specialized material-handling equipment designed to not only move palletized goods but also lift them to an ergonomic working height. Unlike standard pallet trucks, the high lift model combines the functions of a pallet jack and a worktable, making it ideal for loading, unloading, and assembly operations.

Type	THIPT – 1000HL
Capacity	1000 Kgs.
Width Of Forks	150mm
Width Between Forks	260mm
Overall Fork Width	560mm
Overall Length	1490mm
Length Of Fork	1190mm
Min. Height of Forks	85 +/- 2mm
Max. Height of Forks	800mm
Net Weight (Approx)	128 Kgs.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Stacker



Semi-Electric Stacker



Manual Stacker



Fully-Electric Stacker

Fully-Electric Stacker



Our **Fully Electric Stacker** is designed to deliver smooth, safe, and efficient material handling performance in industrial, warehouse, and logistics environments. Built with a robust structure and precision-engineered components, this stacker is ideal for lifting, stacking, and transporting heavy loads with minimal operator effort.

With a maximum load capacity of 1500 kg and a working height of up to 3.5 meters, this machine is perfectly suited for palletized goods, raw materials, finished products, and racking operations. The fully electric lifting and driving mechanism ensures consistent performance, reduced manual labor, and higher productivity throughout daily operations.

Model	TIHSE-1.0/16	TIHSE-1.0/20	TIHSE-1.0/25	TIHSE-1.0/30/33	TIHSE-1.5/16	TIHSE-1.5/26	TIHSE-1.5/25	TIHSE-1.5/30/33	TIHSE-2.0/16
Capacity (Kg)	1000	1000	1000	1000	1500	1500	1500	1500	2000
Lifting height (mm)	1600	2000	2500	3000/3300	1600	2500	2500	3000/3300	1600
Mast type	Single	Double	Double	Double	Single	Double	Double	Double	Single
Fork Length	1000	1000	1000	1000	1000	1000	1000	1000	1000
Min. Fork Height (mm)	90	90	90	90	90	90	90	90	90
Load Center (mm)	500	500	500	500	500	500	500	500	500
Charging Voltage	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V
Motor Power	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW
Adjustable width of fork	360-690	360-690	360-690	360-690	360-690	360-690	360-690	360-690	360-690
Rear Wheel Size (mm)	180-50	180-50	180-50	180-50	180-50	180-50	180-50	180-50	180-50
Front Wheel Size (mm)	80*70	80*70	80*70	80*70	80*93	80*93	80*93	80*93	80*93
Closed Height (mm)	2080	1580	1830	2080/2230	2080	1580	1830	2080/2300	2080
Extended Height (mm)	2080	2500	3000	3500/3800	2080	2500	3000	3500/3800	2080



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Semi-Electric Stacker



A **Semi-Electric Stacker** is an efficient lifting solution that combines the ease of electric lifting with the flexibility of manual movement. Designed for handling pallets, crates, and heavy loads, it uses an electric motor to lift goods effortlessly while the operator manually pushes or pulls the unit. This makes it more economical than a fully electric stacker while still reducing operator fatigue.

Model	TIHSE-1.0/16	TIHSE-1.0/20	TIHSE-1.0/25	TIHSE-1.0/30/33	TIHSE-1.5/16	TIHSE-1.5/26	TIHSE-1.5/25	TIHSE-1.5/30/33	TIHSE-2.0/16
Capacity (Kg)	1000	1000	1000	1000	1500	1500	1500	1500	2000
Lifting height (mm)	1600	2000	2500	3000/3300	1600	2500	2500	3000/3300	1600
Mast type	Single	Double	Double	Double	Single	Double	Double	Double	Single
Fork Length	1000	1000	1000	1000	1000	1000	1000	1000	1000
Min. Fork Height (mm)	90	90	90	90	90	90	90	90	90
Load Center (mm)	500	500	500	500	500	500	500	500	500
Charging Voltage	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V	AC 220V
Motor Power	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW	1.6 KW
Adjustable width of fork	360-690	360-690	360-690	360-690	360-690	360-690	360-690	360-690	360-690
Rear Wheel Size (mm)	180-50	180-50	180-50	180-50	180-50	180-50	180-50	180-50	180-50
Front Wheel Size (mm)	80*70	80*70	80*70	80*70	80*93	80*93	80*93	80*93	80*93
Closed Height (mm)	2080	1580	1830	2080/2230	2080	1580	1830	2080/2300	2080
Extended Height (mm)	2080	2500	3000	3500/3800	2080	2500	3000	3500/3800	2080



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Manual Hydraulic Stacker



A **Manual Hydraulic Stacker** is a cost-effective and reliable material-handling equipment designed to lift and stack loads using a hand-operated hydraulic pump. Built with a strong steel frame and smooth-rolling wheels, it provides safe and stable lifting for pallets, drums, or heavy goods without the need for electricity. Its compact design makes it suitable for narrow aisles and confined spaces, while its low maintenance and durability make it a preferred choice for small warehouses, retail stores, and manufacturing units.

Model	TIHSE-1/1.6	TIHSE-2/1.6	TIHSE-1/2.5/3	TIHSE-1.5/2.5/3
Load Capacity (Kg.)	1000	2000	1000	1500
Lift Height (mm)	1600	1600	2500/3000	2500/300
Lowered Fork Height (mm)	85	85	90	90
Fork Length (mm)	900/1150	900/1150	900/1150	900/1150
Fork Adjust Width (mm)	320-740	360-740	300-750	340-750
Lifting Speed (mm/stroke)	20	14	14	14
Lowering Speed (mm/stroke)	Controllable	Controllable	Controllable	Controllable
Front Wheel (mm)	75*52	75*70	75*52	75*70
Rear Wheel (mm)	180*50	180*50	180*50	180*50
Overall Size (mm)	2030*780*1450	2040*780*1470	1895*785*1470	2150*785*1470



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Tail Lift



Hydraulic Tail Lift



Hydraulic Vertical Tail Lift

Hydraulic Tail Lift



Capacity	1000 / 1500 / 2000 kgs
Height	1100 / 1550 mm
Voltage	12v / 24 DC
Center of the gravity of the load	600mm
Standard Platform width	1800-2000-2300-2400 mm
Standard Platform height	1650-1800-2000 mm
Net Weight (Approx.)	530 kgs

A **Hydraulic Tail Lift** acts as a safe and efficient bridge between vehicles and loading areas, ensuring smooth transfer of goods with minimal manual effort. Designed for reliability and convenience, it greatly improves loading and unloading efficiency.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Wheel Chair Lift



Hydraulic Type
Wheel Chair Lift



Hydraulic Scissor Type
Wheel Chair Lift



Wheel Chair Lift



We have the state-of-the-art manufacturing facility and proven experience in the installation of wheelchair lift at the various establishments, hospitals and residential buildings.

Our range of main entrance lifts can carry minimum of one wheelchair with an attendant. these lifts provide optimum assistance to the physically challenged persons and patients – sharing the vision of the government for utmost care and ease to their mobility

Features:-

- Energy efficient
- Low maintenance
- easy to install and space efficient
- Can operate on household
- current (220v ac) or (440v ac) or battery 12/24v dc
- All required safety standards



Model NO.	Capacity	Lifting Weight
TIWCL - 300	300 Kgs.	500 to 4000 mm

A dedicated team of trained experts delivers the highest standards of service & spares support during it's life cycle.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

RECENTLY ADDED PRESTIGIOUS CUSTOMER :-

- 1. MARUTI SUZUKI NEXA SHOWROOM (MY CAR, KANPUR)**
- 2. MARUTI SUZUKI NEXA SHOWROOM (AKANSHA, MURADABAD)**
- 3. SHUBAN SAI HYUNDAI SHOWROOM (SHAHDARA, NEW DELHI)**
- 4. UNITY NISSAN SHOWROOM (KAROL BAGH, NEW DELHI)**
- 5. UNITY NISSAN WORKSHOP (WAZIRABAD, NEW DELHI)**
- 6. SRI NITYA CONSTRUCTION (VIZAG)**
- 7. BOHRA HYUNDAI (FARIDABAD)**
- 8. SATYAM AUTOSERVE TOYOTA PVT.LTD (BAHADURGARH)**
- 9. VINAYGAR PROMOTER AND BUILDER (VIZAG)**
- 10. ALL INDIA MANAGEMENT INSTITUTE (LAJPAT NAGAR, NEW DELHI)**
- 11. MAHINDRA SHOWROOM (RAJAPURI DWARKA DELHI)**
- 12. MAHINDRA SHOWROOM (NAJAFGARH DELHI)**
- 13. CHERISH HONDA (ROHINI)**
- 14. KIA MOTORS (LUCKNOW)**
- 15. SHUBAN SAI HYUNDAI (MAYAPURI)**
- 16. TATA MOTORS (JAHANGIRPURI DELHI)**
- 17. TATA MOTORS (JAIPUR)**
- 18. TATA MOTORS (RAJAPURI SHOWROOM DELHI)**
- 19. HYUNDAI (GOKULPURI DELHI)**
- 20. SHUBAN SAI HYUNDAI (SARITA VIHAR)**
- 21. CITY BANK (SOUTH EXT)**
- 22. BEACON COURIER (MOTI NAGAR)**
- 23. J.S BHATIYA (MOTI NAGAR)**
- 24. KRISHNA AUTO MOBILE (BAMNOLI DELHI)**
- 25. MR DEEPAK (SHANTI NIKETAN DELHI)**
- 26. CHARVI MOTORS (NISSAN AMBALA)**
- 27. SKYDAC AUTO (KIA SHOWROOM) LUCKNOW**
- 28. JAYANTI KIA MOTORS PVT LTD (KAILASH COLONY DELHI)**
- 29. JAYANTI KIA MOTORS PVT LTD (MOHAN ESTATE DELHI SHOWROOM)**
- 30. SKYDAC KIA SHOWROOM -2 (LUCKNOW)**
- 31. MAHINDRA SHOWROOM(FARIDABAD)**
- 32. TATA SHOWROOM (JAIPUR HIGHWAY)**
- 33. FAITH CORD LLP (KIRTI NAGAR DELHI IMPORTED CAR SHOWROOM)**
- 34.SWASTIK MOTOCORP PRIVATE LIMITED (TATA SHOWROOM GURGAON)**
- 35.KOTAK MAHINDRA BANK PVT LTD (NOIDA SEC -125)**



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

- 36.SIKAND CAR WORLD PVT LTD (LUDHIANA)
- 37.SHUBAN SAI KIA(VIKAS PURI DELHI)
- 38.SHUBAN SAI KIA(JAHANGIRPURI METRO)
- 39.ZEDDEX TATA (MODEL TOWN AZADPUR DELHI)
- 40.BJP SITE(ITO DELHI)
- 41.SHIVA AUTO (NIRMAN VIHAR METRO DELHI)
- 42.GO AUTO TATA SHOWROOM(GURGAON)
- 43.NAVEEN AUTOMOBILE (PATPARGANJ DELHI)
- 44.TATA SHOWROOM CHERRIS CARS (SHIVAJI PARK METRO PUNJABI BAGH)
- 45.JAYANTI KIA (Salarpur Khadar, Noida,)
- 46.JAYANTI KIA SEC -80 NOIDA (HYDRAULIC CAR LIFT)
- 47.MG HECTOR (ROHINI)
- 48.MAHINDRA (KAMLA NAGAR DELHI)
- 49.INDRAPRASTHA AUTOMOBILE PVT LTD(PRASHANT VIHAR DELHI)
- 50.GLOBAL STAR(MERCEDES SHOWROOM GREEN PARK DELHI)
- 51.SWEDE AUTO PVT LTD (VOLVO SHOWROOM GURGAON)
- 52.SWEDE AUTO PVT LTD (VOLVO SHOWROOM RAJOURI GARDEN)
- 53.SHUBAN SAI KIA (JAHANGIRPURI DELHI)
- 54.TRUENORTH AUTOMOBILES PRIVATE LTD
(TATA SHOWROOM) PEERAGARHI DELHI.
- 55.ASHOK VIHAR (HYDRAULIC CAR LIFT)
- 56.INDRAPRASTHA AUTOMOBILE PVT LTD
(JANAK PURI CAR EXTENSION PLATFORM LIFT)
- 57.SHUBAN SAI KIA SERVICE CENTER-(MANGOLPURI DELHI HYDRAULIC LIFT)
58. MARUTI SUZUKI NEXA SHOWROOM (LAJPAT NAGAR DELHI)
59. JS AUTO PVT. LTD. (KANPUR, GORAKHPUR) THREE WHEELER



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company


E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Our Valued PAN- India Customer



**MARUTI
SUZUKI**



DENSO




TATA | sky

ICICI Bank

D Mart

ADDVERB
Human | Robot | Possibilities



AIMA
ALL INDIA MANAGEMENT ASSOCIATION



blinkit
formerly grofers

L'ORÉAL
PARIS



SH & HI



EXPORTS PVT. LTD.



TECHVOS INDIA
(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com


Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Techvos India

Solution with System



THANK YOU