

Dock Leveler



Pit Mounted Dock Leveler



Moveable Dock Leveler



Edge of Dock Leveler



Floor Mounted Dock Leveler

Stationary Hydraulic Dock Leveler



Model	Dock Length	Deck Width	Service range Above & Below
TI-1818	2000 mm	1830 mm	300 mm
TI-2518	2440 mm	1830 mm	300 mm
TI-2520	2500 mm	2000 mm	300 mm
TI-3020	3000 mm	2000 mm	300 mm
TI-3021	3000 mm	2150 mm	300 mm

An Electro **hydraulic dock leveler** is described as a bridge for connecting a vehicle to a building frequently. The important characteristics that this tool needs are undervalued, in order to guarantee an efficient working environment.

The series is completely driven by hydraulic with convenient operation and reliable running. The lip and platform are connected by a complete macro axis, which are of high strength and running. The support bars are designed for safety during maintenance



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company


E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Mechanical Edge-of-Dock Leveler



Edge-of-Dock Leveler

Offering a range of lengths, widths, and dynamic capacities, the **Edge-of-Dock Leveler** combines rugged durability with a competitive price. Edge-of-Dock Levelers provide an operating range of 5" above and 5" below dock, with a minimum lip projection of 12 3/4" and an overall span of 27 3/4". Broad centerplate and lip are constructed of 55,000 lb. minimum yield steel tread plate. Grease fittings on continuous lip hinge are standard with each unit



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Mechanical Edge-of-Dock Leveler

STANDARD FEATURES

- Centerplate and lip are constructed of 55,000 lb. Minimum Yield Steel Tread Plate.
- Formed, plate steel Bump Blocks and steel faced molded cord Rubber Bumpers protect dock face and Leveler from truck damage.
- Continuous Hinge Design with Grease Fittings included as standard with each unit.
- Torsion Spring Design allows simple, precise adjustment.
- Steel Rivets located at either end of the centerplate hinge provide easy, forklift installation.
- Leveler raises and extends smoothly onto truck bed with use of convenient Bar Handle..
- Stronger Rib reinforcement underneath the centerplate.
- Flat Models available for pallet jack operation.

SPECIFICATION

Mechanical Edge-of-Dock Leveler (inch)

Model		EOD20-BL66 EOD25-BL66 EOD30-BL66	EOD20-BL72 EOD25-BL72 EOD30-BL72	EOD20-BL78 EOD25-BL78 EOD30-BL78	EOD20-BL84 EOD25-BL84 EOD30-BL84
Capacity		20000/25000/ 30000lbs	20000/25000/ 30000lbs	20000/25000/ 30000lbs	20000/25000/ 30000lbs
Lip length	A	15"	15"	15"	15"
Span	B	27 3/4"	27 3/4"	27 3/4"	27 3/4"
Deck width	C	66"	72"	78"	84"
Overall width	D	96"	102"	108"	114"
Travel	UP	5"	5"	5"	5"
	DOWN	5"	5"	5"	5"



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)

Movable Dock Ramp



Model	Capacity (Kg.)	Platform Size (mm)									
		A	B	C	D	E	F	G	H	I	J
TIMD 6-0.4	6,000	6,000	3,000	1000	300	10,300	1800	2100	1200	1600	400
TIMD 8-0.4	8,000	8,000	3,000	1000	300	10,300	1800	2100	1200	1600	400
TIMD 10-0.4	10,000	10,000	3,000	1000	300	10,300	1800	2100	1200	1600	400

Techvos India is a big name which deals in the manufacturing and supplying of premium class **Movable Type Dock Leveler** which is designed for the transferring of materials within the inventories with the help of small material handling trolleys. It is made up of top grade mild steel which is also provided with a paint coating that makes it capable to withstand larger loads and gives protection against surface damages due to rust and corrosion. This highly durable Movable Type Dock Leveler is capable to carry heavy loads up to 1000 kilograms.



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)