

Goods Lift



Single Mast (Goods Lift)



Double Mast (Goods Lift) With Collapsable Door



**Double Mast (Goods Lift)
With Cabin**



**Double Mast (Goods Lift)
With Wiremesh Structure**

Hydraulic Goods Lift (Single - Mast)



Load Capacity	Lift Height
100Kg to 5000Kg	1000mm to 12000mm

Hydraulic Lift are Mainly used for transfer goods between the floors. Stable lifting, easy installation and maintenance, economical and practical alternative for low-floor elevator. Configuration available with single mast and double mast and having multi-floor control.

Lift can be customized as per the customer requirement.

Hydraulic Goods Lift (Double - Mast)



Load Capacity	Lift Height
100Kg to 5000Kg	1000mm to 12000mm

Hydraulic Lift are Mainly used for transfer goods between the floors. Stable lifting, easy installation and maintenance, economical and practical alternative for low-floor elevator.

Options Available :-

- * Railings, Collapsible Gates, Imperforated Gates, Sliding Gates.
- * Wire Mesh Cage on Platform, Cabin Instead of Platform.
- * Mechanical & Electrical Interlocking



TECHVOS INDIA

(Solution with system)

An ISO 9001 - 2008 Company

E-mail:- techvosindia@gmail.com, sales.techvos@gmail.com

Website: www.techvosindia.com, www.techvos-india.com

Contact: +91-9891252224, +91-9891462224, +91-9891472224, +91-9891802224

Address:- M-16, Surajpur Indl. Area, Site-5, Kasna, Greater Noida(U.P)